

280 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

TEST #1	Test Date: 03-May-2018		
MODEL	280 Outrage		
HULL#	USBWCE2520D818		
ENGINE	Dual Mercury 250 V8 AMS		
HORSEPOWER	500		
GEAR RATIOS	1.85:1		
PROP	14 5/8" x 19" Rev 4		
FUEL CAPACITY	186 gal.		
Notable Options: Windlass, Premium pack-			

age, Port aft livewell

WEIGHT SUMMARY


DRY WEIGHT	N/A
FUEL	96 gal.
WATER	0 gal.
TEST GEAR	20 lbs
PERSONNEL	385 lbs
TEST WEIGHT	N/A
WATER CONDITIONS	75° F
WEATHER CONDITIONS	76° F




Speed	Fuel	Consumption
-------	------	-------------

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.3	2.8	1.5	2.17	1.88	363
	1000	5.7	4.9	2.7	2.09	1.82	350
	1500	8.3	7.2	4.4	1.90	1.65	317
	2000	9.7	8.4	7.1	1.38	1.19	230
	2500	13.2	11.5	10.0	1.33	1.15	222
	2750	16.0	13.9	11.5	1.39	1.20	232
	3000	19.3	16.7	12.3	1.57	1.36	262
	3250	24.8	21.5	13.2	1.89	1.64	316
	3500	28.6	24.8	14.2	2.01	1.75	337
	4000	34.9	30.3	18.9	1.85	1.61	309
	4500	40.2	34.9	23.0	1.75	1.52	293
	5000	45.6	39.6	29.0	1.58	1.37	264
	5500	50.4	43.7	39.7	1.27	1.10	213
WOT	6000	54.1	47.0	45.7	1.18	1.03	198

Acceleration: Time to plane 4.2 secs | Idle - 30 mph - 6.3 secs









280 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

TEST #2	Test Date: 02-May-2018

	02 may 2010
MODEL	280 Outrage
HULL#	USBWCE2520D818
ENGINE	Dual Mercury 300 V8 AMS
HORSEPOWER	600
GEAR RATIOS	1.85:1
PROP	14 5/8" x 21" Rev 4
FUEL CAPACITY	186 gal.

Notable Options: Windlass, Premium package, Port aft livewell

WEIGHT SUMMARY


DRY WEIGHT	N/A
FUEL	96 gal.
WATER	0 gal.
TEST GEAR	20 lbs
PERSONNEL	385 lbs
TEST WEIGHT	N/A
WATER CONDITIONS	74° F
WEATHER CONDITIONS	70° F




Speed	Fuel Consumption
-------	------------------

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.5	3.0	1.7	2.06	1.79	345
	1000	5.8	5.0	3.0	1.92	1.66	321
	1500	8.3	7.2	4.9	1.71	1.49	286
	2000	9.7	8.4	8.4	1.16	1.00	193
	2500	14.2	12.3	11.4	1.25	1.09	209
	2750	17.7	15.4	12.9	1.38	1.20	231
	3000	22.9	19.8	13.6	1.69	1.46	282
	3250	28.2	24.5	15.2	1.86	1.61	311
	3500	31.6	27.4	16.2	1.95	1.69	327
	4000	37.7	32.7	21.3	1.77	1.54	296
	4500	43.7	37.9	26.8	1.63	1.42	273
	5000	49.5	43.0	35.6	1.39	1.21	233
	5500	54.7	47.5	44.9	1.22	1.06	204
WOT	6000	60.0	52.1	50.4	1.19	1.03	199

Acceleration: Time to plane 4.8 secs | Idle - 30 mph - 7.5 secs









280 OUTRAGE

W W W . B O S T O N W H A L E R . C O M



	27-UCTODET-2015
MODEL	280 Outrage
HULL#	USBWCE0540H516
ENGINE	Dual Mercury 350 Verado
HORSEPOWER	700
GEAR RATIOS	1.75:1
PROP	14 5/8" x 20" Rev 4
FUEL CAPACITY	186 gal.

Notable Options: Hardtop, Joystick piloting


WEIGHT SUMMARY

DRY WEIGHT	8,439 lbs
FUEL	74 gal.
WATER	13 gal.
TEST GEAR	25 lbs
PERSONNEL	360 lbs
TEST WEIGHT	9,388 lbs
WATER CONDITIONS	76° F
WEATHER CONDITIONS	78° F



	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.4	3.0	1.4	2.52	2.19	422
	1000	5.4	4.7	2.5	2.20	1.91	369
	1500	7.7	6.7	4.1	1.90	1.65	318
	2000	8.9	7.7	7.4	1.20	1.05	202
	2500	13.4	11.6	11.4	1.18	1.02	197
	2750	16.7	14.5	12.9	1.30	1.13	218
	3000	22.2	19.2	13.9	1.60	1.39	268
	3250	27.7	24.1	15.1	1.83	1.59	307
	3500	31.3	27.1	16.8	1.87	1.62	312
	4000	37.9	32.9	21.6	1.75	1.52	294
	4500	43.6	37.9	27.8	1.57	1.36	263
	5000	49.0	42.6	38.4	1.28	1.11	214
	5500	53.8	46.7	55.5	0.97	0.84	162
	6000	58.1	50.4	61.8	0.94	0.82	157
WOT	6350	60.5	52.5	61.7	0.98	0.85	164

Acceleration: Time to plane 5.7 secs | Idle - 30 mph - 8.9 secs







280 OUTRAGE

W W W . B O S T O N W H A L E R . C O M

TEST #4 Test Date: 26-March-2019

	26-March-2019		
MODEL	280 Outrage		
HULL#	USBWCE2178C919		
ENGINE	Dual Mercury 400 Verado		
HORSEPOWER	800		
GEAR RATIOS	1.75 : 1		
PROP	14 5/8" x 20" Rev 4		
FUEL CAPACITY	186 gal.		

Notable Options: Anchor windlass, Joystick piloting, Hardtop, Dual 12" electronics, 4KW radome, VHF, Stereo

WEIGHT SUMMARY

DRY WEIGHT	N/A
FUEL	95 gal.
WATER	0 gal.
TEST GEAR	25 lbs
PERSONNEL	445 lbs
TEST WEIGHT	N/A
WATER CONDITIONS	64° F
WEATHER CONDITIONS	70° F



	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.4	3.0	1.6	2.19	1.90	367
	1000	6.0	5.2	2.7	2.20	1.91	369
	1500	8.1	7.0	4.5	1.79	1.55	299
	2000	9.3	8.0	8.3	1.12	0.97	188
	2500	14.0	12.1	12.5	1.12	0.97	187
	2750	19.9	17.3	12.7	1.57	1.37	263
	3000	26.5	23.0	14.8	1.79	1.56	300
	3250	28.9	25.1	16.1	1.80	1.56	300
	3500	32.8	28.4	18.8	1.75	1.52	292
	4000	39.3	34.1	25.5	1.54	1.34	258
	4500	44.7	38.8	31.5	1.42	1.23	237
	5000	50.2	43.6	45.5	1.10	0.96	185
	5500	55.3	48.0	60.6	0.91	0.79	153

Acceleration: Time to plane 6.0 secs | Idle - 30 mph - 7.8 secs

72.1

77.9

0.84

0.83

0.73


0.72


140

138

52.4

55.8





6000

6750

WOT

60.4

64.3





OUTRAGE

