2020 MODEL YEAR 330 OUTRAGE WWW.BOSTONWHALER.COM

| TEST #1 | Test Date: 27-August-2018 | | |
|--|------------------------------|--|--|
| MODEL | 330 Outrage | | |
| HULL# | USBWCE0442H819 | | |
| ENGINE | Dual Mercury 300 V8 AMS | | |
| HORSEPOWER | 600 | | |
| GEAR RATIOS | 1.85:1 | | |
| PROP | 16″ x 19″ Enertia Eco | | |
| FUEL CAPACITY | 300 gal. | | |
| Notable Options: Bow thruster, SS rub rail | | | |


WEIGHT SUMMARY

| DRY WEIGHT | N/A |
|--------------------|----------|
| FUEL | 149 gal. |
| WATER | 0 gal. |
| TEST GEAR | 20 lbs |
| PERSONNEL | 350 lbs |
| TEST WEIGHT | N/A |
| WATER CONDITIONS | 84° F |
| WEATHER CONDITIONS | 87° F |
| | |



| | Opeca | | | 1 461 661341191611 | | | |
|------|-------|------|-------|--------------------|------|------|------------|
| | RPM | mph | knots | gph | mpg | nmpg | range (mi) |
| Idle | 600 | 3.9 | 3.4 | 1.6 | 2.44 | 2.12 | 658 |
| | 1000 | 5.8 | 5.0 | 2.9 | 2.04 | 1.77 | 549 |
| | 1500 | 8.4 | 7.3 | 4.6 | 1.84 | 1.59 | 495 |
| | 2000 | 9.8 | 8.5 | 7.6 | 1.29 | 1.12 | 348 |
| | 2500 | 12.4 | 10.8 | 11.1 | 1.12 | 0.97 | 302 |
| | 2750 | 13.4 | 11.6 | 12.3 | 1.09 | 0.94 | 293 |
| | 3000 | 16.1 | 13.9 | 14.3 | 1.12 | 0.97 | 303 |
| | 3250 | 19.0 | 16.5 | 15.7 | 1.21 | 1.05 | 327 |
| | 3500 | 25.6 | 22.2 | 17.6 | 1.46 | 1.26 | 393 |
| | 4000 | 34.2 | 29.7 | 23.1 | 1.48 | 1.29 | 400 |
| | 4500 | 40.0 | 34.7 | 27.7 | 1.45 | 1.26 | 391 |
| | 5000 | 45.0 | 39.0 | 37.6 | 1.20 | 1.04 | 323 |
| | 5500 | 50.2 | 43.6 | 44.5 | 1.13 | 0.98 | 305 |
| WOT | 6000 | 52.5 | 45.6 | 48.7 | 1.08 | 0.94 | 291 |

Acceleration: Time to plane 7.5 secs | Idle - 30 mph - 9.1 secs



ty: ny ee ee ee

2020 MODEL YEAR 330 OUTRAGE WWW.BOSTONWHALER.COM

| TEST #2 | Test Date: 15-August-2015 | | |
|------------------------------------|------------------------------|--|--|
| MODEL | 330 Outrage | | |
| HULL# | USBWCE2101F515 | | |
| ENGINE | Dual Mercury 350 Verado | | |
| HORSEPOWER | 700 | | |
| GEAR RATIOS | 1.75:1 | | |
| PROP | 16″ x 17″ Enertia Eco | | |
| FUEL CAPACITY | 300 gal. | | |
| Notable Options: Joystick piloting | | | |


WEIGHT SUMMARY

| DRY WEIGHT | 11,326 lbs |
|--------------------|------------|
| FUEL | 151 gal. |
| WATER | 0 gal. |
| TEST GEAR | 25 lbs |
| PERSONNEL | 350 lbs |
| TEST WEIGHT | 12,630 lbs |
| WATER CONDITIONS | 88° F |
| WEATHER CONDITIONS | 82° F |
| | |



| | opeeu | | | i dei consumption | | | |
|------|-------|------|-------|-------------------|------|------|------------|
| | RPM | mph | knots | gph | mpg | nmpg | range (mi) |
| Idle | 600 | 3.0 | 2.6 | 1.3 | 2.31 | 2.00 | 623 |
| | 1000 | 5.5 | 4.8 | 2.5 | 2.20 | 1.91 | 594 |
| | 1500 | 8.1 | 7.0 | 3.8 | 2.13 | 1.85 | 576 |
| | 2000 | 9.4 | 8.2 | 6.1 | 1.54 | 1.34 | 416 |
| | 2500 | 10.2 | 8.9 | 9.9 | 1.03 | 0.89 | 278 |
| | 2750 | 11.1 | 9.6 | 11.7 | 0.95 | 0.82 | 256 |
| | 3000 | 12.5 | 10.9 | 14.2 | 0.88 | 0.76 | 238 |
| | 3250 | 14.3 | 12.4 | 16.0 | 0.89 | 0.78 | 241 |
| | 3500 | 17.4 | 15.1 | 17.7 | 0.98 | 0.85 | 265 |
| | 4000 | 31.7 | 27.5 | 21.3 | 1.49 | 1.29 | 402 |
| | 4500 | 36.7 | 31.9 | 26.0 | 1.41 | 1.23 | 381 |
| | 5000 | 41.7 | 36.2 | 31.6 | 1.32 | 1.15 | 356 |
| | 5500 | 46.2 | 40.1 | 40.0 | 1.16 | 1.00 | 312 |
| | 6000 | 50.3 | 43.7 | 52.8 | 0.95 | 0.83 | 257 |
| WOT | 6400 | 53.2 | 46.2 | 60.3 | 0.88 | 0.77 | 238 |

Acceleration: Time to plane 8.1 secs | Idle - 30 mph - 11.0 secs





2020 MODEL YEAR 330 OUTRAGE WWW.BOSTONWHALER.COM

| TEST #3 | 3 Test Date: 10-April-2019 | | |
|--|--------------------------------------|--|--|
| MODEL | 330 Outrage | | |
| HULL# | USBWCE2363C919 | | |
| ENGINE | Dual Mercury 400 Verado | | |
| HORSEPOWER | 800 | | |
| GEAR RATIOS | 1.75:1 | | |
| PROP | 16″ x 17″ Enertia Eco | | |
| FUEL CAPACITY | 300 gal. | | |
| Notable Options: Windlass, VHF, 16" Electronics, 4KW radome, Bow table, Cockpit refrigerator | | | |
| | | | |


WEIGHT SUMMARY

| DRY WEIGHT | 10,217 lbs |
|--------------------|------------|
| FUEL | 149 gal. |
| WATER | 0 gal. |
| TEST GEAR | 25 lbs |
| PERSONNEL | 495 lbs |
| TEST WEIGHT | 11,653 lbs |
| WATER CONDITIONS | 72° F |
| WEATHER CONDITIONS | 79° F |
| | |




| | Sheen | | | | | | |
|------|-------|------|-------|------|------|------|------------|
| | RPM | mph | knots | gph | mpg | nmpg | range (mi) |
| Idle | 600 | 3.5 | 3.0 | 1.7 | 2.06 | 1.79 | 556 |
| | 1000 | 5.5 | 4.7 | 2.5 | 2.18 | 1.89 | 589 |
| | 1500 | 8.0 | 6.9 | 4.0 | 2.03 | 1.76 | 547 |
| | 2000 | 9.2 | 8.0 | 6.3 | 1.46 | 1.27 | 394 |
| | 2500 | 10.3 | 8.9 | 10.1 | 1.02 | 0.89 | 275 |
| | 2750 | 11.5 | 10.0 | 12.2 | 0.94 | 0.82 | 255 |
| | 3000 | 13.3 | 11.5 | 14.0 | 0.95 | 0.82 | 256 |
| | 3250 | 14.8 | 12.9 | 16.4 | 0.91 | 0.79 | 244 |
| | 3500 | 17.5 | 15.2 | 18.3 | 0.96 | 0.83 | 258 |
| | 4000 | 31.8 | 27.6 | 21.4 | 1.49 | 1.29 | 401 |
| | 4500 | 37.9 | 32.9 | 26.1 | 1.45 | 1.26 | 392 |
| | 5000 | 42.2 | 36.6 | 31.0 | 1.36 | 1.18 | 368 |
| | 5500 | 46.5 | 40.4 | 40.6 | 1.15 | 0.99 | 309 |
| | 6000 | 50.4 | 43.8 | 49.9 | 1.01 | 0.88 | 273 |
| WOT | 6800 | 56.5 | 49.1 | 73.8 | 0.77 | 0.67 | 207 |

Acceleration: Time to plane 7.5 secs | Idle - 30 mph - 8.5 secs









330 Outrage Engine Comparison Graph

rpm

