TEST #1	Test Date: 24-October-2018			
MODEL	380 Outrage			
HULL #	USBWCE07611819			
ENGINE	TripleMercury300V8 AMS (with gyro)			
HORSEPOWER	900			
GEAR RATIOS	1.85 : 1			
PROP	16"x18,19,18"Enertia Eco			
FUELCAPACITY	445 gal.			
NotableOptions:Joystickpiloting,Retract-				

ablesunshade, Seakeepergyro, Summer kitchen, Premiumaudio, Freezerplates, Trollingseats, Outriggers, Activetrim, Diesel generator


#### WEIGHTSUMMARY

DRY WEIGHT	N/A
FUEL	221 gal.
WATER	0 gal.
TEST GEAR	25 lbs
PERSONNEL	365 lbs
TEST WEIGHT	N/A
WATERCONDITIONS	80° F
WEATHERCONDITIONS	81° F



	Speed			Fuel Consumption			
	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.1	2.6	2.2	1.42	1.23	568
	1000	4.7	4.0	3.9	1.19	1.04	478
	1500	7.7	6.6	6.3	1.21	1.05	486
	2000	9.6	8.3	10.5	0.91	0.79	366
	2500	10.6	9.2	15.0	0.71	0.61	283
	2750	11.2	9.7	18.3	0.61	0.53	244
	3000	12.2	10.6	21.4	0.57	0.49	228
	3250	13.8	11.9	26.3	0.52	0.45	210
	3500	18.9	16.4	26.4	0.72	0.62	287
	4000	31.9	27.7	35.0	0.91	0.79	364
	4500	39.0	33.9	42.5	0.92	0.80	368
	5000	43.5	37.8	52.9	0.82	0.71	329
	5500	48.4	42.0	62.0	0.78	0.68	313
WOT	6000	51.7	44.9	70.8	0.73	0.63	293

Acceleration: Time to plane 8.2 secs | Idle - 30 mph - 9.9 secs



Notes:1)SpeeddeterminedbyGPSFuelconsumptionbasedontotalusagebytheenginesMPGcomputedfromMPH&GPHRangebasedon90%oftotalfuelcapacity. 2)Theperformancedatashownshouldbeconsideredvalidonlyforthespecificboatwhoseserialnumberisshownandonthedatethistestwasperformed.Many factorsmayaffecttheactualperformanceofthisboatorofsimilarboats.Suchfactorsinclude,butarenotlimitedto,installationofcertainoptionssuchastowersand hardtops,vesselloadingandtrim,weatherandseaconditions,enginescondition,propellerconditionandhullbottomcondition.BostonWhalermakesnoguarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.



TEST #2	Test Date: 19-May-2020			
MODEL	380 Outrage			
HULL #	USBWC1356A020			
ENGINE	Quad Mercury 300 V8 AMS (with gyro)			
HORSEPOWER	1200			
GEAR RATIOS	1.85 : 1			
PROP	19 Enertia Eco			
FUEL CAPAC- ITY	445 gal.			
Notable Options: Joystick piloting, Bot Table, Sunshade,Seakeeper Gyro, Premium Audio, Diesel Gen- erator, 4KW Radar				


#### WEIGHT SUM-

DRY WEIGHT	19,293 LBS
FUEL	227 gal.
WATER	46 gal.
TEST GEAR	25 lbs
PERSONNEL	360 lbs
TEST WEIGHT	21,459 LBS
WATER CONDI- TIONS	80° F
WEATHER CONDI- TIONS	80° F



	Speed				Fuel Consumption		
	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	2.8	2.4	3.0	0.92	0.80	367
	1000	5.9	5.1	5.4	1.10	0.94	442
	1500	8.4	7.3	8.9	0.95	0.82	380
	2000	9.8	8.5	14.5	0.67	0.59	270
	2500	11.2	9.7	21.3	0.52	0.46	210
	2750	12.8	11.1	24.5	0.52	0.45	209
	3000	15.9	13.8	27.7	0.57	0.50	230
	3250	25.0	21.7	29.7	0.84	0.73	337
	3500	30.3	26.3	34.2	0.89	0.77	355
	4000	37.1	32.2	43.0	0.86	0.75	346
	4500	42.5	36.9	52.7	0.81	0.70	323
	5000	47.5	41.2	67.7	0.70	0.61	281
	5500	52.6	45.6	85.5	0.61	0.53	246
WOT	6000	56.4	48.9	95.1	0.59	0.51	237

Acceleration: Time to plane 7.0 secs | Idle - 30 mph - 8.1 secs



Notes: 1)Speed determined by GPS. Fuel consumption based on total usage by the engines. MPG computed from MPH & GPH. Range based on 90% of total fuel capacity. 2) The performance data shown should be considered valid only for the specific boat whose serial number is shown and on the date this test was performed. Many factors may affect the actual performance of this boat or of similar boats. Such factors include, but are not limited to, installation of certain options such as towers and hard tops, vessel loading and trim, weather and sea conditions, engines condition, propeller condition and hull bottom condition. Boston Whaler makes no guarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.



TEST #3	Test Date: 26-April-2017		
MODEL	380 Outrage		
HULL #	USBWCE1103A717		
ENGINE	Triple Mercury 350 Verado (no gyro)		
HORSEPOWER	1050		
GEAR RATIOS	1.75 : 1		
PROP	16"x18,19,18"Enertia Eco		
FUELCAPACITY	445 gal.		
NotableOptions:Joystickpiloting,Couch leaning post			


#### WEIGHTSUMMARY

DRY WEIGHT	N/A
FUEL	186 gal.
WATER	60 gal.
TEST GEAR	25 lbs
PERSONNEL	390 lbs
TEST WEIGHT	N/A
WATERCONDITIONS	77° F
WEATHERCONDITIONS	76° F



Speed					Fuel Cor	sumption	
	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.2	2.8	2.0	1.60	1.39	641
	1000	5.5	4.8	3.6	1.53	1.33	612
	1500	8.2	7.1	5.9	1.39	1.21	557
	2000	9.6	8.3	10.0	0.96	0.83	384
	2500	10.4	9.0	16.3	0.64	0.55	256
	2750	11.1	9.6	20.0	0.56	0.48	222
	3000	13.0	11.3	24.3	0.53	0.46	214
	3250	17.1	14.8	27.6	0.62	0.54	248
	3500	24.8	21.5	29.2	0.85	0.74	340
	4000	35.6	30.9	36.4	0.98	0.85	392
	4500	40.7	35.3	45.4	0.90	0.78	359
	5000	46.1	40.0	62.9	0.73	0.64	294
	5500	49.6	43.1	68.2	0.73	0.63	291
	6000	53.2	46.2	93.4	0.57	0.49	228
WOT	6300	55.0	47.8	92.8	0.59	0.51	237

Acceleration: Time to plane 9.9 secs | Idle - 30 mph - 11.8 secs



Notes:1)SpeeddeterminedbyGPSFuelconsumptionbasedontotalusagebytheenginesMPGcomputedfromMPH&GPHRangebasedon90%oftotalfuelcapacity. 2)Theperformancedatashownshouldbeconsideredvalidonlyforthespecificboatwhoseserialnumberisshownandonthedatethistestwasperformed.Many factorsmayaffecttheactualperformanceofthisboatorofsimilarboats.Suchfactorsinclude,butarenotlimitedto,installationofcertainoptionssuchastowersand hardtops,vesselloadingandtrim,weatherandseaconditions,enginescondition,propellerconditionandhullbottomcondition.BostonWhalemakesnoguarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.



TEST #4	Test Date: 26-January-2017			
MODEL	380 Outrage			
HULL #	USBWCE0663H617			
ENGINE	Triple Mercury 350 Verado (with gyro)			
HORSEPOWER	1050			
GEAR RATIOS	1.75 : 1			
PROP	16" x 17" Enertia Eco			
FUELCAPACITY	445 gal.			
NotableOptions:Joystickpiloting,Upper station,Freezerplates,Seakeepergyro				


#### WEIGHTSUMMARY

DRY WEIGHT	18,926 lbs
FUEL	241 gal.
WATER	60 gal.
TEST GEAR	80 lbs
PERSONNEL	370 lbs
TEST WEIGHT	21,359 lbs
WATERCONDITIONS	68° F
WEATHERCONDITIONS	68° F



speed					FuerCor	isumption	
	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.0	2.6	2.0	1.50	1.30	601
	1000	5.0	4.3	3.4	1.47	1.28	589
	1500	8.1	7.0	5.4	1.50	1.30	601
	2000	9.5	8.2	8.5	1.12	0.97	448
	2500	10.3	8.9	13.6	0.76	0.66	303
	2750	10.6	9.2	17.2	0.62	0.54	247
	3000	11.1	9.6	20.9	0.53	0.46	213
	3250	11.7	10.2	24.8	0.47	0.41	189
	3500	15.1	13.1	27.4	0.55	0.48	221
	4000	25.7	22.3	33.6	0.76	0.66	306
	4500	35.6	30.9	41.3	0.86	0.75	345
	5000	40.8	35.4	51.6	0.79	0.69	317
	5500	45.5	39.5	60.7	0.75	0.65	300
	6000	48.4	42.0	83.0	0.58	0.51	234
WOT	6400	51.0	44.3	91.4	0.56	0.48	223

Acceleration: Time to plane 9.9 secs | Idle - 30 mph - 12.2 secs



Notes:1)SpeeddeterminedbyGPSFuelconsumptionbasedontotalusagebytheengines.MPGcomputedfromMPH&GPH.Rangebasedon90%oftotalfuelcapacity. 2)Theperformancedatashownshouldbeconsideredvalidonlyforthespecificboatwhoseserialnumberisshownandonthedatethistestwasperformed.Many factorsmayaffecttheactualperformanceofthisboatorofsimilarboats.Suchfactorsinclude,butarenotlimitedto,installationofcertainoptionssuchastowersand hardtops,vesselloadingandtrim,weatherandseaconditions,enginescondition,propellerconditionandhullbottomcondition.BostonWhalermakesnoguarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.



TEST #5	Test Date: 25-April-2019			
MODEL	380 Outrage			
HULL #	USBWCE2386B919			
ENGINE	Triple Mercury 400 Verado (no gyro)			
HORSEPOWER	1200			
GEAR RATIOS	1.75 : 1			
PROP	16"x18,19,18"Enertia Eco			
FUELCAPACITY	445 gal.			
NotableOptions:Bowtable,Sunshade, Premium audio, Outriggers				


#### WEIGHTSUMMARY

DRY WEIGHT	16,728 lbs
FUEL	215 gal.
WATER	24 gal.
TEST GEAR	25 lbs
PERSONNEL	425 lbs
TEST WEIGHT	18,700 lbs
WATERCONDITIONS	76° F
WEATHERCONDITIONS	74° F



	speed					Tucicoi	Isumption
	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	2.5	2.2	2.2	1.16	1.01	466
	1000	6.0	5.2	3.9	1.56	1.35	624
	1500	6.8	5.9	6.1	1.11	0.97	446
	2000	10.3	8.9	10.5	0.98	0.85	393
	2500	11.1	9.6	16.8	0.66	0.57	265
	2750	12.0	10.4	20.4	0.59	0.51	236
	3000	13.7	11.9	25.0	0.55	0.48	219
	3250	17.0	14.7	29.2	0.58	0.50	232
	3500	27.4	23.8	30.1	0.91	0.79	365
	4000	35.8	31.1	38.5	0.93	0.81	373
	4500	40.9	35.5	47.2	0.87	0.75	347
	5000	46.1	40.0	58.5	0.79	0.68	316
	5500	49.9	43.3	76.3	0.65	0.57	262
	6000	53.7	46.6	97.9	0.55	0.48	220
WOT	6800	57.3	49.7	114.5	0.50	0.43	200

Acceleration: Time to plane N/A | Idle - 30 mph - N/A



Notes:1)SpeeddeterminedbyGPSFuelconsumptionbasedontotalusagebytheengines.MPGcomputedfromMPH&GPH.Rangebasedon90%oftotalfuelcapacity. 2)Theperformancedatashownshouldbeconsideredvalidonlyforthespecificboatwhoseserialnumberisshownandonthedatethistestwasperformed.Many factorsmayaffecttheactualperformanceofthisboatorofsimilarboats.Suchfactorsinclude,butarenotlimitedto,installationofcertainoptionssuchastowersand hardtops,vesselloadingandtrim,weatherandseaconditions,enginescondition,propellerconditionandhullbottomcondition.BostonWhalemakesnoguarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.



TEST #6	Test Date: 18-June-2019	
MODEL	380 Outrage	
HULL #	USBWCE2579D919	
ENGINE	Triple Mercury 400 Verado (with gyro) 1200	
HORSEPOWER		
GEAR RATIOS	1.75 : 1	
PROP	16" x 17" Enertia Eco	
FUELCAPACITY	445 gal.	

NotableOptions:Joystickpiloting,Seakeeper gyro,Bowtable,Sunshade,Premiumaudio, Summerkitchen, Freezerplates, Diesel generator, 16" Electronics, 4KW radar


#### WEIGHTSUMMARY

DRY WEIGHT	17,903 lbs
FUEL	215 gal.
WATER	30 gal.
TEST GEAR	25 lbs
PERSONNEL	360 lbs
TEST WEIGHT	19,860 lbs
WATERCONDITIONS	82° F
WEATHERCONDITIONS	80° F



	Speed					Tuer cor	Isumption
	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.5	3.0	2.0	1.73	1.50	691
	1000	5.6	4.9	3.8	1.47	1.28	590
	1500	8.2	7.1	5.7	1.43	1.24	573
	2000	10.0	8.7	8.7	1.16	1.00	463
	2500	10.7	9.2	14.2	0.75	0.65	301
	2750	11.1	9.6	17.4	0.64	0.55	254
	3000	10.9	9.4	21.1	0.51	0.45	206
	3250	11.3	9.8	25.6	0.44	0.38	176
	3500	12.7	11.0	30.2	0.42	0.36	168
	4000	20.5	17.8	35.0	0.58	0.51	234
	4500	33.8	29.4	40.9	0.83	0.72	331
	5000	39.2	34.0	47.6	0.82	0.71	330
	5500	44.0	38.2	56.8	0.77	0.67	310
	6000	46.9	40.7	71.3	0.66	0.57	264
WOT	6800	53.4	46.4	111.5	0.48	0.42	192

Acceleration: Time to plane 10.5 secs | Idle - 30 mph - 11.6 secs



Notes:1)SpeeddeterminedbyGPSFuelconsumptionbasedontotalusagebytheengines.MPGcomputedfromMPH&GPHRangebasedon90%oftotalfuelcapacity. 2)Theperformancedatashownshouldbeconsideredvalidonlyforthespecificboatwhoseserialnumberisshownandonthedatethistestwasperformed.Many factorsmayaffecttheactualperformanceofthisboatorofsimilarboats.Suchfactorsinclude,butarenotlimitedto,installationofcertainoptionssuchastowersand hardtops,vesselloadingandtrim,weatherandseaconditions,enginescondition,propellerconditionandhullbottomcondition.BostonWhalemakesnoguarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.



TEST #7	7 Test Date: 16-July-2019			
MODEL	380 Outrage			
HULL #	USBWCE0007F920			
ENGINE	Quad Mercury 350 Verado (with gyro)			
HORSEPOWER	1400			
GEAR RATIOS	1.75 : 1			
PROP	14 5/8" x 18" Rev 4			
FUELCAPACITY	445 gal.			
NotableOptions: Joystickpiloting, Seakeeper				

NotableOptions:Joystickpiloting,Seakeeper gyro,Bowtable,Sunshade,Upperstation, Premiumaudio,Freezerplates,Dieselgenerator, 16" Electronics, 4KW radar


#### WEIGHTSUMMARY

DRY WEIGHT	20,756 lbs	
FUEL	240 gal.	
WATER	40 gal.	
TEST GEAR	25 lbs	
PERSONNEL	360 lbs	
TEST WEIGHT	22,951 lbs	
WATERCONDITIONS	85° F	
WEATHERCONDITIONS	80° F	



speed					Tucicoi	Isumption	
	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.9	3.4	2.6	1.50	1.30	601
	1000	6.1	5.3	4.7	1.29	1.12	516
	1500	8.5	7.4	7.5	1.14	0.99	457
	2000	10.1	8.8	12.2	0.83	0.72	333
	2500	10.9	9.5	20.6	0.53	0.46	212
	2750	11.9	10.3	25.2	0.47	0.41	189
	3000	13.3	11.5	30.7	0.43	0.37	173
	3250	15.1	13.1	36.1	0.42	0.36	168
	3500	19.9	17.3	36.2	0.55	0.48	220
	4000	32.7	28.4	42.5	0.77	0.67	309
	4500	38.8	33.7	52.7	0.74	0.64	295
	5000	44.0	38.2	64.4	0.68	0.59	273
	5500	48.6	42.2	79.0	0.61	0.53	246
	6000	52.8	45.9	105.9	0.50	0.43	200
WOT	6450	55.7	48.4	123.5	0.45	0.39	181

Acceleration: Time to plane 9.0 secs | Idle - 30 mph - 9.6 secs



Notes:1)SpeeddeterminedbyGPSFuelconsumptionbasedontotalusagebytheengines.MPGcomputedfromMPH&GPHRangebasedon90%oftotalfuelcapacity. 2)Theperformancedatashownshouldbeconsideredvalidonlyforthespecificboatwhoseserialnumberisshownandonthedatethistestwasperformed.Many factorsmayaffecttheactualperformanceofthisboatorofsimilarboats.Suchfactorsinclude,butarenotlimitedto,installationofcertainoptionssuchastowersand hardtops,vesselloadingandtrim,weatherandseaconditions,enginescondition,propellerconditionandhullbottomcondition.BostonWhalemakesnoguarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.



TEST #8	3 Test Date: 10-July-2019			
MODEL	380 Outrage			
HULL #	USBWCE0007F920			
ENGINE	Quad Mercury 400 Verado (with gyro)			
HORSEPOWER	1600			
GEAR RATIOS	1.75 : 1			
PROP	14 5/8" x 18" Rev 4			
FUELCAPACITY	445 gal.			
NotableOptions: Jovstickpiloting. Seakeeper				

NotableOptions:Joystickpiloting,Seakeeper gyro,Bowtable,Sunshade,Upperstation, Premiumaudio,Freezerplates,Dieselgenerator, 16" Electronics, 4KW radar


#### WEIGHTSUMMARY

DRY WEIGHT	20,756 lbs	
FUEL	202 gal.	
WATER	40 gal.	
TEST GEAR	25 lbs	
PERSONNEL	350 lbs	
TEST WEIGHT	22,707 lbs	
WATERCONDITIONS	85° F	
WEATHERCONDITIONS	83° F	



speed					Tuercor	Isumption	
	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.1	2.7	2.8	1.11	0.96	443
	1000	5.6	4.9	5.0	1.12	0.97	449
	1500	8.4	7.3	7.8	1.08	0.94	432
	2000	10.0	8.6	12.5	0.80	0.69	320
	2500	10.7	9.3	21.1	0.51	0.44	203
	2750	11.8	10.2	26.0	0.45	0.39	182
	3000	13.4	11.6	31.0	0.43	0.37	172
	3250	16.7	14.5	34.0	0.49	0.43	197
	3500	21.0	18.2	35.5	0.59	0.51	237
	4000	32.5	28.2	41.6	0.78	0.68	313
	4500	38.6	33.5	51.1	0.76	0.66	303
	5000	44.2	38.3	62.7	0.70	0.61	282
	5500	48.3	41.9	78.2	0.62	0.54	248
	6000	52.8	45.8	106.9	0.49	0.43	198
WOT	6850	58.6	50.8	144.0	0.41	0.35	163


Acceleration: Time to plane 10.5 secs | Idle - 30 mph - 11.6 secs



Notes:1)SpeeddeterminedbyGPSFuelconsumptionbasedontotalusagebytheengines.MPGcomputedfromMPH&GPH.Rangebasedon90%oftotalfuelcapacity. 2)Theperformancedatashownshouldbeconsideredvalidonlyforthespecificboatwhoseserialnumberisshownandonthedatethistestwasperformed.Many factorsmayaffecttheactualperformanceofthisboatorofsimilarboats.Suchfactorsinclude,butarenotlimitedto,installationofcertainoptionssuchastowersand hardtops,vesselloadingandtrim,weatherandseaconditions,enginescondition,propellerconditionandhullbottomcondition.BostonWhalermakesnoguarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.








Notes:1)SpeeddeterminedbyGPSFuelconsumptionbasedontotalusagebytheengines.MPGcomputedfromMPH&GPHRangebasedon90%oftotalfuelcapacity. 2)Theperformancedatashownshouldbeconsideredvalidonlyforthespecificboatwhoseserialnumberisshownandonthedatethistestwasperformed.Many factorsmayaffecttheactualperformanceofthisboatorofsimilarboats.Suchfactorsinclude,butarenotlimitedto,installationofcertainoptionssuchastowersand hardtops,vesselloadingandtrim,weatherandseaconditions,enginescondition,propellerconditionandhullbottomcondition.BostonWhalermakesnoguarantee whatsoever that this performance will be repeated on this boat at a later date or at any time on a similarly equipped boat.







Notes: 1)Speed determined by GPS. Fuel consumption based on total usage by the engines. MPG computed from MPH & GPH. Range based on 90% of total fuel capacity. 2) The performance data shown should be considered valid only for the specific boat whose serial number is shown and on the date this test was performed. Many factors may affect the actual performance of this boat or of similar boats. Such factors include, but are not limited to, installation of certain options such as towers and hard tops, vessel loading and trim, weather and sea conditions, engines condition, propeller condition and hull bottom condition. Boston Whaler makes no guarantee whatsoever that this performance will be repeated on this boat a later date or at any time on a similarly equipped boat.

