


2020 MODEL YEAR

285 CONQUEST

WWW BOSTONWHALER COM

2020 SPECIFICATIONS

BEAM 9' 6" (2.90 m) DRAFT (hull only) 20" (0.50 m) WEIGHT (dry, no engine) 7,300 lbs (3,311 kg) MAXIMUM WEIGHT CAPACITY 3,968 lbs (1,800 kg) SWAMPED CAPACITY 2,100 lbs (952 kg) PERSONS CAPACITY 12 MAXIMUM HORSEPOWER 500 hp (372 kW) MINIMUM HORSEPOWER 450 hp (336 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 25" (0.63 m) DEADRISE AT TRANSOM 20° FUEL CAPACITY 200 gallons (757 L) WATER CAPACITY 30 gallons (113.5 L) WASTE CAPACITY 6.5 gallons (24.6 L) LIVEWELL VOLUME 26 gallons (98.42 L) BRIDGE CLEARANCE (with hardtop) 8' 10" (2.69 m) BRIDGE CLEARANCE (with radar and spotlight) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H EUROPEAN CERTIFICATION B	L.O.A.	27' 10" (8.51 m)
WEIGHT (dry, no engine) T,300 lbs (3,311 kg) MAXIMUM WEIGHT CAPACITY 3,968 lbs (1,800 kg) SWAMPED CAPACITY 2,100 lbs (952 kg) PERSONS CAPACITY 12 MAXIMUM HORSEPOWER 500 hp (372 kW) MINIMUM HORSEPOWER 450 hp (336 kW) TRANSOM HEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 25" (0.63 m) DEADRISE AT TRANSOM 20° FUEL CAPACITY 200 gallons (757 L) WATER CAPACITY 30 gallons (113.5 L) WASTE CAPACITY LIVEWELL VOLUME 26 gallons (98.42 L) BRIDGE CLEARANCE (with hardtop) BRIDGE CLEARANCE (with radar and spotlight) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	BEAM	9' 6" (2.90 m)
MAXIMUM WEIGHT CAPACITY SWAMPED CAPACITY 2,100 lbs (952 kg) PERSONS CAPACITY 12 MAXIMUM HORSEPOWER 500 hp (372 kW) MINIMUM HORSEPOWER 450 hp (336 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 25" (0.63 m) DEADRISE AT TRANSOM FUEL CAPACITY WATER CAPACITY WASTE CAPACITY 1,200 gallons (757 L) WASTE CAPACITY WASTE CAPACITY 1,200 gallons (113.5 L) 6.5 gallons (24.6 L) LIVEWELL VOLUME BRIDGE CLEARANCE (with hardtop) BRIDGE CLEARANCE (with radar and spotlight) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	DRAFT (hull only)	20" (0.50 m)
SWAMPED CAPACITY 2,100 lbs (952 kg) PERSONS CAPACITY 12 MAXIMUM HORSEPOWER 500 hp (372 kW) MINIMUM HORSEPOWER 450 hp (336 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 25" (0.63 m) DEADRISE AT TRANSOM 20° FUEL CAPACITY 200 gallons (757 L) WATER CAPACITY 30 gallons (113.5 L) WASTE CAPACITY 6.5 gallons (24.6 L) LIVEWELL VOLUME 26 gallons (98.42 L) BRIDGE CLEARANCE (with hardtop) 8' 10" (2.69 m) BRIDGE CLEARANCE (with radar and spotlight) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	WEIGHT (dry, no engine)	7,300 lbs (3,311 kg)
PERSONS CAPACITY 12 MAXIMUM HORSEPOWER 500 hp (372 kW) MINIMUM HORSEPOWER 450 hp (336 kW) MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 25" (0.63 m) DEADRISE AT TRANSOM FUEL CAPACITY 200 gallons (757 L) WATER CAPACITY 30 gallons (113.5 L) WASTE CAPACITY LIVEWELL VOLUME BRIDGE CLEARANCE (with hardtop) BRIDGE CLEARANCE (with radar and spotlight) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	MAXIMUM WEIGHT CAPACITY	3,968 lbs (1,800 kg)
MAXIMUM HORSEPOWER MINIMUM HORSEPOWER MAXIMUM ENGINE WEIGHT TRANSOM HEIGHT DEADRISE AT TRANSOM FUEL CAPACITY WATER CAPACITY WASTE CAPACITY LIVEWELL VOLUME BRIDGE CLEARANCE (with hardtop) BRIDGE CLEARANCE (with radar and spotlight) PACKAGE BOAT SPECS (on trailer/engine up) 450 hp (372 kW) 450 hp (364 kW) 450 hp (372 kW) 450 hp (365 kg) 470 codes 470 pc 470 pc	SWAMPED CAPACITY	2,100 lbs (952 kg)
MINIMUM HORSEPOWER MAXIMUM ENGINE WEIGHT TRANSOM HEIGHT DEADRISE AT TRANSOM FUEL CAPACITY WATER CAPACITY WASTE CAPACITY LIVEWELL VOLUME BRIDGE CLEARANCE (with hardtop) BRIDGE CLEARANCE (with radar and spotlight) PACKAGE BOAT SPECS (on trailer/engine up) 1,400 lbs (635 kg) 25" (0.63 m) 200 200 gallons (757 L) 30 gallons (113.5 L) 6.5 gallons (24.6 L) 26 gallons (98.42 L) 8' 10" (2.69 m) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	PERSONS CAPACITY	12
MAXIMUM ENGINE WEIGHT 1,400 lbs (635 kg) TRANSOM HEIGHT 25" (0.63 m) DEADRISE AT TRANSOM 200 FUEL CAPACITY 200 gallons (757 L) WATER CAPACITY 30 gallons (113.5 L) WASTE CAPACITY 6.5 gallons (24.6 L) LIVEWELL VOLUME 26 gallons (98.42 L) BRIDGE CLEARANCE (with hardtop) 8' 10" (2.69 m) BRIDGE CLEARANCE (with radar and spotlight) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	MAXIMUM HORSEPOWER	500 hp (372 kW)
TRANSOM HEIGHT 25" (0.63 m) DEADRISE AT TRANSOM 20° FUEL CAPACITY 200 gallons (757 L) WATER CAPACITY 30 gallons (113.5 L) WASTE CAPACITY 6.5 gallons (24.6 L) LIVEWELL VOLUME 26 gallons (98.42 L) BRIDGE CLEARANCE (with hardtop) 8' 10" (2.69 m) BRIDGE CLEARANCE (with radar and spotlight) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	MINIMUM HORSEPOWER	450 hp (336 kW)
DEADRISE AT TRANSOM FUEL CAPACITY WATER CAPACITY WASTE CAPACITY WASTE CAPACITY LIVEWELL VOLUME BRIDGE CLEARANCE (with hardtop) BRIDGE CLEARANCE (with radar and spotlight) PACKAGE BOAT SPECS (on trailer/engine up) 200 gallons (757 L) 30 gallons (113.5 L) 6.5 gallons (24.6 L) 26 gallons (98.42 L) 8' 10" (2.69 m) 9' 4" (2.84 m) 9' 4" (2.84 m)	MAXIMUM ENGINE WEIGHT	1,400 lbs (635 kg)
FUEL CAPACITY WATER CAPACITY 30 gallons (757 L) WASTE CAPACITY 6.5 gallons (24.6 L) LIVEWELL VOLUME BRIDGE CLEARANCE (with hardtop) BRIDGE CLEARANCE (with radar and spotlight) PACKAGE BOAT SPECS (on trailer/engine up) 9' 4" (2.84 m) 39' 0"L X 9' 6"W X 12' 5"H	TRANSOM HEIGHT	25" (0.63 m)
WATER CAPACITY 30 gallons (113.5 L) WASTE CAPACITY 6.5 gallons (24.6 L) LIVEWELL VOLUME 26 gallons (98.42 L) BRIDGE CLEARANCE (with hardtop) 8' 10" (2.69 m) BRIDGE CLEARANCE (with radar and spotlight) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	DEADRISE AT TRANSOM	20°
WASTE CAPACITY 6.5 gallons (24.6 L) LIVEWELL VOLUME 26 gallons (98.42 L) BRIDGE CLEARANCE (with hardtop) 8' 10" (2.69 m) BRIDGE CLEARANCE (with radar and spotlight) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	FUEL CAPACITY	200 gallons (757 L)
LIVEWELL VOLUME 26 gallons (98.42 L) BRIDGE CLEARANCE (with hardtop) 8' 10" (2.69 m) BRIDGE CLEARANCE (with radar and spotlight) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	WATER CAPACITY	30 gallons (113.5 L)
BRIDGE CLEARANCE (with hardtop) BRIDGE CLEARANCE (with radar and spotlight) PACKAGE BOAT SPECS (on trailer/engine up) 8' 10" (2.69 m) 9' 4" (2.84 m) 39' 0"L X 9' 6"W X 12' 5"H	WASTE CAPACITY	6.5 gallons (24.6 L)
BRIDGE CLEARANCE (with radar and spotlight) 9' 4" (2.84 m) PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	LIVEWELL VOLUME	26 gallons (98.42 L)
PACKAGE BOAT SPECS (on trailer/engine up) 39' 0"L X 9' 6"W X 12' 5"H	BRIDGE CLEARANCE (with hardtop)	8'10" (2.69 m)
	BRIDGE CLEARANCE (with radar and spotlight)	9' 4" (2.84 m)
EUROPEAN CERTIFICATION B	PACKAGE BOAT SPECS (on trailer/engine up)	39' 0"L X 9' 6"W X 12' 5"H
	EUROPEAN CERTIFICATION	В





STANDARD EQUIPMENT

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

DECK/COCKPIT

- 12-V receptacle
- 28" interior freeboard
- 8" stainless steel cleats bow (2), spring line (2), stern with hawse pipes (2), anchor (1)
- Acrylic transom door
- Bow and stern lifting eyes
- Cockpit coaming bolsters
- Cockpit prep center with sink and storage
- Cockpit shower
- Covered telescoping stainless steel swim ladder with stainless steel grab rail
- Drink holders (8)
- lacksquare Gunnel mounted stainless steel rod holders (4)
- Heavy-duty rub rail
- Raw water washdown with coil hose storage
- Self-bailing cockpit
- Stainless steel anchor roller assembly with safety lanyard
- Stainless steel cockpit toe rails
- Stainless steel grab rails
- Stern stainless steel hawse pipes with drink holders
- Transom mounted stainless steel rod holders (3)
- Welded stainless steel how rail
- Windshield and hard-top system includes:
- Cockpit floodlight, dome light and rod holders (4)
- Integrated windshield and hard-top
- Speakers (2)
- Stainless steel grab rails along sides
- Tempered glass full front windshield with electric
- Windshield wash system
- Windshield wipers (port and starboard)

CONSOLE

- 12V receptacle
- Captain's storage compartment
- Compass
- Dual level molded-in footrests
- Instrumentation and electrical switch panels with circuit breaker protection
- Stainless steel steering wheel with knob

SEATING

- Convertible port seat / lounge
- Aft facing seat
- Aft seating with reversible backrest
- Cooler storage
- Lounge filler
- Foldaway stern bench seat
- Helm seat with cushions and adjustable slider

STORAGE

- Battery storage
- Bow anchor locker with drain
- Bow storage lockers under V-berth
- Cabin interior rod racks (4)
- Galley storage
- In-deck fishboxes with drain and pump-out (2)
- Port tackle / storage at port lounge seat (3 drawers with pullout footrest)
- Starboard storage at bait prep station (open storage

 filler cushion storage and 5-gallon bucket)
- Under gunnel rod racks (4)

GALLEY

- 110-V outlet
- 12-V / 120-V refrigerator
- Corian solid surface countertop
- Galley sink with faucet and cutting board
- Microwave
- Skylight over galley
- Trash receptacle (under c-way step)





2020 MODEL YEAR

285 CONQUEST

W W W . B O S T O N W H A L E R . C O M

■ Wood grain galley cabinetry

HEAD

- 500 GPH shower sump-pump
- Hanging storage
- Lighting
- Mirro
- Opening porthole with screen
- Shelf with stainless steel retainer rail
- Stainless steel sink with pressurized water system and pullout shower
- Storage area (aft bulkhead and under countertop)
- VacuFlush[™] head with holding tank (6.5 gallons), dockside pump-out and overboard discharge

CABIN INTERIOR

- 12-V receptacles (cabin and mid berth)
- Cabin lights (5)
- Carbon monoxide detector
- Dinette table with gas-assist base
- Drink holders (3) (forward berth)
- Easy clean interior materials
- Forward berth cushions with backrest
- Lockable sliding acrylic cabin door
- Mid double berth
- Opening hatch with screen
- Opening portholes with screens galley (1), mid berth (1)
- Stereo Fusion® AM/FM, iPod controls, waterproof speakers (2 in cabin, 2 in cockpit), remote control, and MP3 input (Fusion Bluetooth enabled) (Fusion integration into Raymarine with navigation package)
- V-berth filler cushions

MECHANICAL

- 250 CXL V8 DTS Black Dual Mercury® FourStroke engines with hydraulic power steering
- Anchor windlass (low profile with rode and anchor) (FR 1,000 W)
- Automatic bilge pumps (1,100 GPH forward, 2,000 GPH aft)
- Battery trays with switches (3)
- Cockpit lighting (blue/white LED)
- Electric horn
- Electric trim tabs with indicator
- Engine fuel / water separators
- Fuel tank (200 gallons)
- High water bilge pump with alarm
- Insulated livewell with light, raw water fill, blue interior and flow control

- Navigation lights
- Pressurized freshwater system
- Raw water washdown with coil hose storage
- Shore power with battery charger and galvanic isolator (ELCI system)
- Stainless steel propellers
- Stainless steel thru hulls
- Tilt steering
- Transducer mount area

NAUTIC-ON REMOTE CONNECTIVITY

- 24/7 access to your boat's information using the NAUTIC-ON app
- Monitor house and engine battery state and bilge pump activity
- Review live engine data and diagnostics
- Track location with Smart Breadcrumbing and GeoFence
- View weather conditions at the boat
- 1 Year Free Subscription

NOTABLE OPTIONS & ACCESSORIES

- ☐ 12-V DC receptacles at transom for electric reels / downriggers (2)
- ☐ Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- ☐ Air conditioning (reverse cycle 7,000 BTU)
- ☐ Anchor stainless steel
- ☐ Anchor windlass chain (150')
- ☐ Bow thruster (12-V)
- ☐ Cabin comfort package includes: forward berth accessories (fitted sheet, flat sheet, two standard size pillow cases) mid-berth accessories (comforter, fitted sheet, flat sheet, two standard pillow cases, two standard pillow shams, privacy curtain)
- ☐ Cruising package includes: dockside hookup for water, electric single burner stove, water heater
- ☐ Diesel heater system (not compatible with cockpit refrigera-
- ☐ Entertainment package includes: 21" flat screen HDTV 12-V, DVD player, TV cable input
- ☐ European prewired entertainment package includes: DVD player, TV cable input, prewire for TV in cabin, ship loose
- ☐ Full side glass (integrated with aft legs and hard-top)
- ☐ Generator (low CO gas (7kW))
- ☐ Lighting underwater LED

- ☐ Outriggers radial outriggers (black)
- □ Premium package includes: storage baskets (2) in mid cabin, VesselView 4" display (network connection to Raymarine with navigation package), interior lighting upgrades (reading light in forward berth, reading light in mid berth), premium audio package (400 watt stereo amp, cockpit speaker upgrade (2))
- ☐ Privacy curtain (mid cabin) (included in cabin comfort package)
- ☐ Rails split bow rail (replaces standard bow rail)
- ☐ Rails white rub rail with stainless steel insert
- ☐ Refrigerator at cockpit (stainless steel with Corian countertop) (not compatible with diesel heater system)
- □ Spotlight
- ☐ Sunshade at bow
- ☐ Sunshade at cockpit (black or blue)
- ☐ Table cockpit
- ☐ Table helm deck table with Corian countertop
- ☐ Trailer aluminum

SEATING

- ☐ Seating cockpit foldout bench seat (port side) (deletes rod racks)
- ☐ Seating cockpit foldout bench seat (starboard side) (deletes rod racks)
- ☐ Seating fold-down trolling seat (port side) (deletes rod racks)
- ☐ Seating fold-down trolling seat (starboard side) (deletes rod racks)
- ☐ Seating sun lounge

TOPS/TOWERS

☐ Hardtop gelcoat (hardtop underside color matches hull color) (options include abaco blue or platinum)

ENGINES

- $\hfill \Box$ 250 CXL V8 DTS White Dual Mercury $\hfill \odot$ FourStroke engines with hydraulic power steering
- □ 250 CXL V8 DTS Black Dual Mercury FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilots not permitted with Joystick Piloting) (Vessel View 4 display included)
- 250 CXL V8 DTS White Dual Mercury Four Stroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional





☐ Sand Metallic

2020 MODEL YEAR

285 CONQUEST

W W W . B O S T O N W H A L E R . C O M

autopilots not permitted with Joystick Piloting)(Vessel View	☐ Steel Blue
4 display included)	☐ Tectonic Silver
ELECTRONICS	☐ Wasabi
ELECTRONICS Raymarine Autopilot Evolution with 3.5" color TFT display	GRAPHICS
(not compatible with joystick piloting) (must select a	(BW logo, model designator, stripe)
navigation package)	☐ Black graphics
☐ Raymarine 12" Axiom Pro RVX Electronics / Navigation	☐ Blue graphics
Package (Raymarine Axiom Pro-RVX 12.1" MFD) (1000W	☐ Chrome graphics (with silver model designator and stripe)
thru-hull transducer (B175 med)) (Navionics Chart Card:	☐ Red graphics
North America/Canada)	☐ Silver graphics
☐ Raymarine 16" Axiom Pro RVX Electronics / Navigation	☐ White graphics
Package (Raymarine Axiom Pro-RVX 15.6" MFD) (1000W	-
thru-hull transducer (B175 med)) (Navionics Chart Card:	
North America/Canada)	
☐ Raymarine 16" Axiom XL Electronics/Navigation Package	
(Raymarine Axiom XL 16" screen (GPS/chart plotter/	
fishfinder))(Raymarine Sounder RV-1000)(1000 watt thru	
hull transducer (B175 med) (Navionics Chart Card: North	
America/Canada)	
☐ Raymarine Ray63 VHF radio with GPS and wireless handset	
☐ Raymarine Radar – Radome (4kW 24" high definition digital	
radome) (must select a navigation package)	
☐ Raymarine Satellite Weather (requires monthly subscrip-	
tion)(must select navigation package)	
☐ RealVision 3D Sonar Direct Connect (CHIRP Downvision,	
Sidevision) (must select Axiom RVX Navigation Package)	
(RV-100 3D Transom Mount Transducer)	
☐ Satellite radio – Sirius® satellite receiver with antenna	
☐ Vessel View Mobile	
CANNAG	
CANVAS ☐ Pedestal seat cover (black or blue)	
☐ Sun lounge cover (black or blue)	
☐ Weather curtain set for hardtop (side curtains and aft drop	
curtain) (black or blue)	
☐ Weather curtain set for hardtop with full side glass (aft drop	
curtain) (black or blue)	
COLOR PAINTED HULLS	
☐ Abaco Blue	
☐ Fighting Lady Yellow	
☐ Horizon Blue	
☐ Ice Blue	
☐ Jadestone	
□ Oyster Grey	

