

2019 MODEL YEAR

330 OUTRAGE



2019 SPECIFICATIONS

- > L.O.A.: 33' 1" (10.08 m)
- > Beam: 10' 2" (3.10 m)
- > Draft: 22" (0.55 m)
- > Weight (dry, no engine): 9,000 lbs (4,083 kg)
- > Weight (with engines, fuel and water, if applicable): 12,579 lbs. (5,705 kg)
- > Maximum Weight Capacity: 4,140 lbs (1,878 kg)
- > Swamped Capacity: 4,260 lbs (1,932 kg)
- > Persons Capacity: 14
- > Maximum Horsepower: 700 hp (522 kW)
- > Minimum Horsepower: 500 hp (372 kW)
- > Deadrise at Transom: 23
- > Fuel Capacity: 300 gallons (1,135 L)
- > Waste Capacity: 6.5 gallons (24.6 L)
- > Water Capacity: 40 gallons (151 L)
- > Livewell Volume: 50 gallons (189.2 L)
- > Maximum Engine Weight: 1,400 lbs (635 kg)
- > Transom Height: 30" (0.76 m)
- > Transom Angle: 15
- > Bridge Clearance with Top: 9' 10" (3 m)
- > European Certification: B

STANDARD EQUIPMENT

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

DECK/COCKPIT

- 8" stainless steel cleats – anchor locker (1)
- 8" stainless steel pop-up cleats – cross tie cleats at transom (2)
- 10" stainless steel cleats – bow (2), spring line with hawse pipes (2), stern with hawse pipes (2)
- 28" interior freeboard
- Bow and stern eyes
- Cockpit coaming bolsters
- Covered telescoping swim ladder with stainless steel grab rail
- Dedicated storage for dive ladder
- Grab rails – forward lounge (2), leaning post (2)
- Hawse pipes (2) with drink holders at stern
- Heavy-duty rub rail
- Low profile interior bow rail – welded stainless steel
- Molded fiberglass portside dive/boarding door with removable stainless steel dive ladder
- Motorwell drains
- Rod holders – gunnel mounted (8)
- Rod holders – transom mounted (3)
- Self-bailing cockpit
- Stainless steel thru hull anchor roller davit
- Toe rails – stainless steel (2 per side)
- Transom door with stainless steel latch
- Windlass with 200' rode, 25' chain and stainless steel plow anchor

CONSOLE/HEAD

- 12V receptacle
- Acrylic entry door with lock
- Cast stainless steel steering wheel with knob
- Compass
- Drink holders (2)
- Electronics mounting surface with space for dual displays
- Electronics switch panel with illuminated switches


- Interior courtesy lights
- Molded console footrests and fold-down helm standing platform with molded-in non-skid surface
- Molded inner liner
- Opening porthole with screen (1)
- Remote located circuit breaker panel
- Remote ignition key switches with pushbutton start at helm
- Sink with pullout sprayer
- Stereo – Fusion®, iPod/iPhone dock audio, AM/FM/USB audio/VHF/WX/Sirius XMTM ready, JL waterproof speakers (4), remote control at helm and USB/MPS input (Fusion® integration into Raymarine with Navigation Package) (Fusion® Bluetooth enabled)
- Storage cabinets
- VacuFlush™ toilet with holding tank, overboard discharge and dockside pump-out

SEATING

- Foldaway stern bench seat
- Forward console lounge (60" length) with flip-down armrests, 2 cup holders and recessed grab rails (2)
- Forward island deck seating with drink holders (2), bolsters and removable cushions
- Helm and companion bolster style seats with storage console

STORAGE

- Bow anchor locker with drain
- Glove box at helm
- Insulated in-floor fishboxes with pump-out (57 gallons) at aft (2)
- Lockable console front storage – holds 10 rods, optional 36 quart cooler and miscellaneous gear (optional scuba tank racks available for 6 tanks)
- Port aft storage at fishing prep area (can store a 5 gallon bucket)
- Under gunnel rod racks



2019 MODEL YEAR

330 OUTRAGE



HARDTOP/WINDSHIELD SYSTEM

- Bow area flood light
- Cockpit area flood lights (2)
- Dome light (red and white)
- Electronics box
- LED blue lighting
- Lifejacket storage
- Outrigger ready
- Rod holders (5)
- Tempered glass windshield with power actuated vent
- Windshield wiper with wash system

LEANING POST

- Aft facing couch with convertible work surface and drink holders (4)
- Cutting board
- Drink holders (4)
- Grab rails (3)
- Leaning post storage under aft-facing seat (optional 40 gallon livewell)
- Storage drawers (3)

MECHANICAL

- 12-V receptacles (3)
- 300 V8 DTS Black Dual Mercury Verado engines with hydraulic power steering
- Fuel tank (300 gallon)
- Automatic bilge pump and sump box (1,100 GPH forward, 2,000 GPH aft (2))
- Battery trays (3) with switches
- Engine fuel / water separators
- Freshwater system (40 gallons) with sink in console, transom shower and anchor washdown
- Instrumentation and electrical switch panel with circuit breaker protection
- LED cockpit lighting (blue)
- Livewell – transom on centerline (50 gallons)
- Navigation lights
- Raw water washdown
- Shore power with battery charger and galvanic isolator
- Stainless steel propellers
- Tilt steering
- Transducer mount areas
- Variable running surface with single electric ram and indicator
- Vessel View 4" (Mercury)

NOTABLE OPTIONS/ACCESSORIES

- 12-V DC receptacles at transom for electric reels /

downriggers (2)

- Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- Anchor windlass chain (150')
- Bilge storage - aft
- Bow thruster (12-V) (not compatible with Joystick Piloting options)
- Bow tow eye
- Casting platform with cushion and canvas cover - bow
- Dynamic Running Surface (DRS) – self leveling tab system
- Gyroscopic Stabilizer (SeaKeeper) (2000 N-M-S gyro) (deletes summer kitchen option) (must select leaning post with gyro option)
- Leaning post with gyro (deletes summer kitchen option) (includes sink and tip-out storage drawers (3)) (must select gyroscopic stabilizer option)
- Leaning post livewell (40 gallon) (with standard leaning post only)
- Leaning post with cooler – includes: storage drawers (3), cutting board, sink, storage lid, Yeti cooler with dedicated storage
- Lighting - underwater LED
- Outriggers – radial outriggers – hardtop mounted
- Rail - bow rail (stainless steel) (replaces low profile bow rail) (not compatible with mooring cover, full helm canvas enclosure or wing curtains)
- Rail - split bow rail (replaces low profile bow rail) (not compatible with mooring cover, full helm canvas enclosure or wing curtains)
- Rail - white rub rail with stainless steel inserts
- Refrigerator – cockpit (12/120V) (available in STD or optional leaning post)
- Scuba tank racks (6)
- Seating - fold-down trolling seats (2)
- Spotlight
- Summer kitchen – includes: electric grill with 1500-watt inverter (must select leaning post with cooler option)
- Sun lounge filler (must select bow table)
- Sunshade at bow
- Sunshade at cockpit
- Table - aft cockpit table with teak overlay
- Table – bow table (removeable)
- Table - bow table with teak overlay (includes black canvas cover) (not compatible with bow casting platform)

ENGINES

- 300 V8 DTS White Dual Mercury Verado engines with

hydraulic power steering (91 octane fuel recommended)

- 350 L6 DTS Black Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- 350 L6 DTS White Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- 300 V8 DTS Black Dual Mercury Verado engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilots not permitted with Joystick Piloting)
- 300 V8 DTS White Dual Mercury Verado engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilots not permitted with Joystick Piloting)
- 350 L6 DTS Black Dual Mercury Verado engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- 350 L6 DTS White Dual Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- 400 L6 DTS Black Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- 400 L6 DTS White Dual Mercury Verado engines with hydraulic power steering (91 octane fuel recommended)
- 400 L6 DTS Dual Black Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (must select Premium Package or Vessel View 4" Display)
- 400 L6 DTS Dual White Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (must select Premium Package or Vessel View 4" Display)

2019 MODEL YEAR

330 OUTRAGE



ELECTRONICS

- Premium audio (upgraded speakers X6, 10" sub, 800W amp)
- Raymarine Autopilot - SmartPilot™ with 3.5" color TFT display (must select navigation package)(not compatible with Joystick piloting)
- Raymarine 12" Axiom Pro RVX Electronics / Navigation Package (Raymarine Axiom Pro-RVX 12.1" MFD) (1000W thru-hull transducer B175 Med) (Navionics Chart Card: North America/Canada)
- Raymarine 12" Axiom Pro S Additional Display Electronics Package (Raymarine Axiom Pro S 12.1" with single channel CHIRP sonar) (CPT100 Transom Mount Transducer)
- Raymarine 12" Axiom RV Electronics / Navigation Package (Raymarine Axiom RV 12.1" screen) (GPS/chart plotter/fishfinder) (1000W thru-hull transducer B175 Med) (Navionics Chart Card: North America/Canada)
- Raymarine 12" Axiom Additional Display Electronics Package (Raymarine Axiom RV 12.1" screen) (GPS/chart plotter/fishfinder) (must select a navigation package) (not compatible with Vessel View 7)
- Raymarine 16" Axiom Pro RVX Electronics / Navigation Package (Raymarine Axiom Pro-RVX 15.6" MFD) (1000W thru-hull transducer B175 Med) (Navionics Chart Card: North America/Canada)
- Raymarine 16" Axiom Pro S Additional Display Electronics Package (Raymarine Axiom Pro S 15.6" with single channel CHIRP sonar) (CPT100 Transom Mount Transducer)
- Raymarine 16" Axiom XL Electronics / Navigation Package (Raymarine Axiom XL 16" screen) (Raymarine Sounder RV-100) (1000W thru-hull transducer B175 Med) (Navionics Chart Card: North America/Canada)
- Raymarine 16" Axiom XL Additional Display Electronics Package (Raymarine Axiom XL 16" screen) (GPS/chart plotter/fishfinder) (dash surface – custom black acrylic integrated with switch panels)
- Raymarine Radar – Open Array (4kW magnum digital radar with 48" open array antenna)(must select a navigation package)
- Raymarine Radar – Radome (4kW 24" high definition digital radome)(must select a navigation package)
- Raymarine Ray90 modular VHF radio
- Raymarine Satellite Weather (requires monthly subscription)(must select navigation package)
- RealVision 3D Sonar Direct Connect (CHIRP Downvision, Sidevision)(must select Axiom RVX Navigation Package)(RV-100 3D Transom Mount Transducer)
- Satellite radio – Sirius® satellite receiver with antenna

- Vessel View 7" (Mercury SmartCraft)(color LCD display)(network connections to Raymarine with Navigation Package)
- Vessel View Mobile

CANVAS

- Canvas cover package – includes: black sunbrella, cockpit seat back cover, console cover, forward cushion covers, helm seat cover, storage garage cover (all black)
- Full canvas mooring cover from hardtop to fore and aft deck coverage
- Hardtop enclosure curtains (full beam aft enclosure behind helm seating, wing curtains and side enclosure), white or black

COLOR PAINTED HULLS

- Abaco Blue
- Fighting Lady Yellow
- Horizon Blue
- Ice Blue
- Jadestone
- Oyster Grey
- Platinum
- Sand Metallic
- Steel Blue
- Tectonic Silver
- Wasabi

GRAPHICS (BW LOGO, STRIPE)

- Black graphics
- Blue graphics
- Chrome graphics (with silver stripe)
- Red graphics
- Silver graphics
- White graphics